


DOORS SCHEDULE

DOOR MARK	TYPE	THICKNESS (MM)	DOOR SIZE		MOUNTING OPENING		MATERIAL / FINISH	DETAILS			HARDWARE SET	REMARKS
			WIDTH (MM)	HEIGHT (MM)	WIDTH (MM)	HEIGHT (MM)		HEAD	JAMB	SILL / THRESHOLD		
P H A S E 1												
D 1	A	45	900	2100	1000	2150	METAL LOUVER / PAINTED				HW-1	
D 2	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 3	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 4	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 5	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 19	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 20	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 21	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 22	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 31	C	45	900	2100	1000	2150	METAL / PAINTED				HW-4	FIRE EXIT DOOR ONE HOUR RATED
D 32	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED				HW-1	
D 33	C	45	900	2100	1000	2150	METAL / PAINTED				HW-4	FIRE EXIT DOOR ONE HOUR RATED

P H A S E 2											
D 6	B	45	800	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 7	B	45	800	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 8	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 9	B	45	800	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 10	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 11	B	45	800	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 12	B	45	800	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 13	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 14	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 15	D	45	800	2100	1000	2150	HALLOW CORE WOOD / PAINTED			HW-2	WATER RESISTANT
D 16	D	45	900	2100	1000	2150	HALLOW CORE WOOD / PAINTED			HW-2	WATER RESISTANT
D 17	D	45	800	2100	1000	2150	HALLOW CORE WOOD / PAINTED			HW-2	WATER RESISTANT
D 18	D	45	600	2100	1000	2150	HALLOW CORE WOOD / PAINTED			HW-2	WATER RESISTANT
D 23	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 24	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 25	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 26	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 27	B	45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 28	D	45	800	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-2	WATER RESISTANT

DOOR MARK	TYPE	THICKNESS (MM)	DOOR SIZE		MOUNTING OPENING	MATERIAL / FINISH	DETAILS			HARDWARE SET	REMARKS
							HEAD	JAMB	SILL / THRESHOLD		
D 29		45	900	2100	1000	2150	HALLOW CORE WOOD / PAINTED			HW-2	WATER RESISTANT
D 30		45	900	2100	1000	2150	HALLOW CORE WOOD / PAINTED			HW-2	WATER RESISTANT
D 34		45	900	2100	1000	2150	METAL DOOR / PAINTED			HW-4	FIRE EXIT DOOR ONE HOUR RATED
D 35		45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 36		45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-3	
D 37		45	900	2100	1000	2150	SOLID CORE WOOD / PAINTED			HW-1	
D 38		45	900	2100	1000	2150	METAL / PAINTED			HW-4	FIRE EXIT DOOR ONE HOUR RATED
D 39		45	900	2100	1000	2150	HALLOW CORE WOOD / PAINTED			HW-2	WATER RESISTANT
D 40		45	900	2100	1000	2150	HALLOW CORE WOOD / PAINTED			HW-2	WATER RESISTANT



1A
A-8
DOORS ELEVATION


HARDWARE SCHEDULE

HW-1
2 PAIR BUTT HINGES 114mmx114mm (4 3/4 X 4 3/4)
1 SET LOCKSET SERIES 4000 F-82 GRADE 2
1 SET OVERHEAD SURFACE CLOSER CO2012

HW-2
1 1/2 PAIRS BUTT HINGES 114mmx114mm (4 3/4 X 4 3/4)
1 SET LOCKSET SERIES 4000 F-82 GRADE 2
1 SET OVERHEAD SURFACE CLOSER

HW-3
4 PAIR BUTT HINGES 114mmx114mm (4 3/4 X 4 3/4)
2 SETS OVERHEAD SURFACE CLOSER CO2012
4 SETS PUSH PLATE (DOOR MANUFACTURE STD.)
1 SET FLUSH BOLT (TOP & BOTTOM IF INACTIVE DOOR LEAF)
4 SETS PULL HANDL (DOOR MANUFACTURE STD.)
1 SET LOCKSET SERIES 4000 F-82 GRADE 2
















HW-4
AS PERMANUFACTURE STANDARD HARD SETS,WARE



2A
A-8
WINDOW ELVATION

1
A-8 A-8
SCHEDULE OF DOORS & WINDOW
NOT TO SCALE

WINDOW SCHEDULE

DOOR MARK	TYPE	WINDOW SIZE WIDTH/HEIGHT (MM)	MOUNTING HEIGHT (H2)	F R A M E		GLAZING (THICKNESS) (MM)	D E T A I L S				REMARKS
				MATERIAL	FIN./COLOR		HEAD	JAMB	SILL	MULLION	
P H A S E 1											
	F	3200	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	L	1200	300		STEEL FIXED	PAINTED	6 mm				INSTALL AT STAIR LANDING
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	A	7000	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	A	7000	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	F	3200	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	L	1200	300		STEEL FIXED	PAINTED	6 mm				INSTALL AT STAIR LANDING
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	B	3500	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	B	3500	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	A	7000	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	H	1800	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	D	2100	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	E	4900	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	E	4900	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	D	2100	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
	L	1200	1200		STEEL FIXED	PAINTED	6 mm				INSTALL AT STAIR LANDING
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM

W 9	H	1800	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
W 10	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM
W 11	A	7000	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm				
W 12	H	1800	1200	900	STEEL CASEMENT	PAINTED	6 mm				PROVIDE FIXED TRANSOM

DOOR MARK	TYPE	WINDOW SIZE		MOUNTING HEIGHT (H2)	F R A M E		GLAZING (THICKNESS) (MM)	D E T A I L S				REMARKS
		WIDTH (H1) (MM)	HEIGHT (H1) (MM)		MATERIAL	FIN./COLOR		HEAD	JAMB	SILL	MULLION	
P H A S E 1												
W 13	N	2700	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 14	D	2100	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm					
W 15	N	2700	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 16	J	900	300	1800	STEEL AWING	PAINTED	6 mm					
W 17	J	900	300	1800	STEEL AWING	PAINTED	6 mm					
W 18	K	450	300	1800	STEEL AWING	PAINTED	6 mm					
W 19	J	900	300	1800	STEEL AWING	PAINTED	6 mm					
W 20	F	3200	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 29	A	7000	1200	900	ALUMINIUM JALOUSIE	NATURAL	6 mm					
W 30	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 31	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 32	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 33	P	3600	1200	900	STEEL FIXED	PAINTED	6 mm					AT DISPLAY AREA
W 34	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 35	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 36	C	1400	1200	900	ALUMINIUM JALOUSIE	PAINTED	6 mm					
W 37	C	1400	1200	900	ALUMINIUM JALOUSIE	PAINTED	6 mm					
W 38	J	900	300	1800	STEEL AWING	PAINTED	6 mm					
W 39	J	900	300	1800	STEEL AWING	PAINTED	6 mm					
W 40	L	1200	1200		STEEL FIXED	PAINTED	6 mm					INSTALL AT STAIR LANDING
W 51	G	5400	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 52	J	900	300	1800	STEEL AWING	PAINTED	6 mm					
W 53	J	900	300	1800	STEEL AWING	PAINTED	6 mm					
W 54	L	1200	1200		STEEL FIXED	PAINTED	6 mm					INSTALL AT STAIR LANDING
W 55	F	3200	1200	900	STEEL CASEMENT	PAINTED	6 mm					PROVIDE FIXED TRANSOM
W 11	M	4000	1775	900	METAL LOUVER	PAINTED	6 mm					AT FLOOR